Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	12	("5768389" or "6651166" or "6324645" or "6401203" or "6370249" or "6330671").pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/11 15:32
S1	1595	708/200,203,204,209,230,234,250, 253,256.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/11 15:26
S2	1110	380/36-37,44.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 11:23
S3	2685	S1 or S2	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 11:23
S4	2850	block with (cipher\$3 or cryptography)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 11:23
S5	114	S4 and ("functional module")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 11:23
S6	94	S5 and (parallel with (input and output))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 11:57
S7	0	S6 and (cascad\$3 or (sequential\$2 adj (coupl\$1 or communicating)))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 11:24

S8	120	S4 and (cascad\$3 or (sequential\$2 adj (coupl\$1 or communicating)))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 14:31
S9	248	S4 and (parallel with (input and output))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 11:52
S10	347	S6 or S8 or S9	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 11:25
S11	1557	S3 and @ad<"19981123"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 11:25
S12	35	S10 and S11	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 11:25
S13	24	S9 and S11	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 11:59
S14	20	S6 and @ad<"19981123"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 11:57
S15	0	S5 and S8	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 11:58

	,	Ţ			,	
S16	12	S8 and S11	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 11:59
S17	20	parallel with (sbox or "s-box" or "substitution box")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 14:25
S18	4	S17 and @ad<"19981123"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 14:24
S19	8	(parallel with (input and output)) and (sbox or "s-box" or "substitution box") and @ad<"19981123"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 14:26
S20	2850	block with (cipher\$3 or cryptography)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 14:31
S21	120	S20 and (cascad\$3 or (sequential\$2 adj (coupl\$1 or communicating)))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 14:44
S22	55	S21 and @ad<"20010423"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 14:35
S23	0	S22 and "functional module"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 14:32

S24	4	S22 and (parallel with (input and output))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 14:32
S25	43	S21 and round	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 14:44
S26	6	S25 and @ad<"19981123"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 14:44